U.S. Patent Application No. 10/573,322 Amendment A Docket No. 2000-30 Page 2 of 11

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended) A method of extracting volatile components by which volatile components are obtained by steam extraction of tasty materials, the method comprising:

directing steam into contact with the tasty material; and

recovering the steam after said directing steam into contact, wherein the steam extraction is carried out using super heated steam that is set to a temperature higher than 140°C but no higher than 500°C, wherein a steam flow rate of 0.3 to 30 kg/hr is used per 1 kg of tasty material, wherein said directing step is carried out for 5 to 60 minutes, and wherein a recovery rate of the volatile components by the steam extraction is 0.01 to 10% by weight as a solid with respect to the tasty material.

2-3. (Canceled)

- 4. (Currently amended) The method of extracting volatile components according to claim 1 [[3]], wherein the steam used at normal pressure.
 - 5-6. (Canceled)
- 7. (Original) The method of extracting volatile components according to claim 1, wherein the tasty material includes of roasted coffee beans.
- 8. (Original) The method of extracting volatile components according to claim 7, wherein the coffee beans are at least one type selected from the group consisting of *Coffea arabica*, *C. canephora var. robusta*, *C. canephora var. conulon* and *C. liberica*.
- 9. (Original) The method of extracting volatile components according to claim 7, wherein the coffee beans are obtained by roasting raw coffee beans using super heated steam.

U.S. Patent Application No. 10/573,322 Amendment A

Docket No. 2000-30

Page 3 of 11

10. (Original) The method of extracting volatile components according to claim 9, wherein

the super heated steam used to roast the raw coffee beans is set to a temperature higher than 107°C but

no higher than 500°C.

11. (Original) The method of extracting volatile components according to claim 9, wherein

the super heated steam used to roast the raw coffee beans is set to a temperature higher than 140°C but

no higher than 500°C.

12. (Original) The method of extracting volatile components according to claim 9, wherein

the coffee beans are roasted using super heated steam at 1 to 30 kg/h per 1 kg of the raw coffee beans.

13. (Original) The method of extracting volatile components according to claim 7, wherein

the coffee beans are obtained by roasting raw coffee beans using at least one type of method selected

from the group consisting of far infrared roasting, hot air roasting, direct flame roasting and charcoal

roasting.

14. (Original) The method of extracting volatile components according to claim 7, wherein

the L value of the roasted coffee beans is 15 to 33.

15. (Original) The method of extracting volatile components according to claim 1, wherein

the tasty material includes of tea leaves following tea manufacturing.

16. (Original) The method of extracting volatile components according to claim 15, wherein

the tea leaves are at least one type selected from the group consisting of green tea, oolong tea, black

tea, barley tea, adlay tea, jasmine tea, Pu-Erh tea, rooibos tea and herb tea.

17. (Previously presented) The method of extracting volatile components according to claim

1, further comprising cooling the steam after said directing steam into contact with the tasty material.

U.S. Patent Application No. 10/573,322 Amendment A Docket No. 2000-30 Page 4 of 11

- 18. (Previously presented) The method of extracting volatile components according to claim 1, further comprising drying the steam by freeze-drying or spray-drying after said directing steam into contact with the tasty material.
- 19. (Previously presented) The method of extracting volatile components according to claim 1, wherein a steam flowrate of 0.3 to 30 kg/h is used per 1 kg of tasty material.
- 20. (Previously presented) The method of extracting volatile components according to claim 19, wherein said directing into contact steam is carried out for 5 to 60 minutes.
- 21. (Original) The method of extracting volatile components according to claim 1, wherein the steam extraction is carried out within a sealed container.
- 22. (Original) The method of extracting volatile components according to claim 21, wherein the steam extraction is carried out in an inert gas atmosphere.
- 23. (Previously presented) The method of extracting volatile components according to claim 22, further comprising producing steam using deoxygenated water.
- 24. (Withdrawn) A volatile component obtained by the method of extracting volatile components according to claim 1.
- 25. (Withdrawn) The volatile component according to claim 24 containing solid matter originating in the tasty material at 0.01 to 10% by weight.
 - 26. (Withdrawn) A food or drink containing the volatile component according to claim 24.

U.S. Patent Application No. 10/573,322 Amendment A Docket No. 2000-30 Page 5 of 11

- 27. (Withdrawn) The food or drink according to claim 26, wherein the food or drink is a coffee drink, tea drink, milk drink, concentrated extract for a dispenser, instant coffee or instant tea.
- 28. (Withdrawn) The food or drink according to claim 26 containing an aqueous extract obtained by water extraction of a tasty material following the steam extraction.
- 29. (Withdrawn) The food or drink according to claim 26 containing an aqueous extract obtained by water extraction of a tasty material of the same type that is not subjected to the steam extraction.
- 30. (Previously presented) A method of producing a food or drink, the method including: obtaining an aqueous extract by water extraction of the tasty material following the steam extraction according to claim 1; and

mixing the aqueous extract and the volatile components.

- 31. (Previously presented) The method of producing a food or drink according to claim 30, wherein the food or drink is a coffee drink, tea drink, concentrated extract for a dispenser, instant coffee or instant tea.
- 32. (Previously presented) The method of producing a food or drink according to claim 30, wherein the tasty material includes of tealeaves following tea manufacturing.
- 33. (Previously presented) The method of producing a food or drink according to claim 32, wherein the tea leaves are at least one type selected from the group consisting of green tea, oolong tea, black tea, barley tea, adlay tea, jasmine tea, Pu-Erh tea, rooibos tea and herb tea.
- 34. (Previously presented) The method of producing a food or drink according to claim 30, wherein the tasty material includes of roasted coffee beans.

U.S. Patent Application No. 10/573,322 Amendment A Docket No. 2000-30 Page 6 of 11

35. (Previously presented) The method of producing a food or drink according to claim 34, wherein the coffee beans are at least one type selected from the group consisting of *Coffea arabica*, *C. canephora var. robusta*, *C. canephora var. conulon* and *C. liberica*.